


/ Descriptions


/ Features

/ Applications

/ Equivalent Circuit



/ Pinning



/  $h_{FE}$  Classifications & Marking

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|  |  |  |  |  |


/ Absolute Maximum Ratings(Ta=25 )

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |


/ Electrical Characteristics(Ta=25 )

|  |  |   |  |  |  |   |
|--|--|---|--|--|--|---|
|  |  |   |  |  |  |   |
|  |  | μ |  |  |  |   |
|  |  | ∞ |  |  |  |   |
|  |  | μ |  |  |  |   |
|  |  |   |  |  |  | μ |
|  |  |   |  |  |  | μ |
|  |  |   |  |  |  |   |
|  |  |   |  |  |  |   |
|  |  |   |  |  |  |   |
|  |  |   |  |  |  |   |
|  |  |   |  |  |  |   |
|  |  |   |  |  |  |   |


/ Electrical Characteristic Curve




/ Package Dimensions



/ Marking Instructions



( ) / Temperature Profile for Dip Soldering(Pb-Free)



/ Resistance to Soldering Heat Test Conditions

/ Packaging SPEC.

| 封装形式     | 包装数量               |                         |                        |                              |                        | 包装尺寸    |             |             |
|----------|--------------------|-------------------------|------------------------|------------------------------|------------------------|---------|-------------|-------------|
|          | Units/Tube<br>只/套管 | Tubes/Inner Box<br>套管/盒 | Units/Inner Box<br>只/盒 | Inner Boxes/Outer Box<br>盒/箱 | Units/Outer Box<br>只/箱 | Tube 套管 | Inner Box 盒 | Outer Box 箱 |
| TO-126/F | 500                | 6                       | 3,000                  | 5                            | 15,000                 | 135×190 | 237×172×102 | 560×245×195 |

| 封装形式     | 包装数量               |                         |                        |                              |                        | 包装尺寸       |             |             |
|----------|--------------------|-------------------------|------------------------|------------------------------|------------------------|------------|-------------|-------------|
|          | Units/Tube<br>只/套管 | Tubes/Inner Box<br>套管/盒 | Units/Inner Box<br>只/盒 | Inner Boxes/Outer Box<br>盒/箱 | Units/Outer Box<br>只/箱 | Tube 套管    | Inner Box 盒 | Outer Box 箱 |
| TO-126/F | 65                 | 26                      | 1,690                  | 5                            | 8,450                  | 532×31×5.6 | 555×164×50  | 575×290×180 |

/ Notices