


## / Descriptions


## / Features

## / Applications

## / Equivalent Circuit



## / Pinning



## / Marking

/ Absolute Maximum Ratings(Ta=25 )




|  |          |  |  |
|--|----------|--|--|
|  |          |  |  |
|  |          |  |  |
|  |          |  |  |
|  |          |  |  |
|  |          |  |  |
|  |          |  |  |
|  |          |  |  |
|  |          |  |  |
|  |          |  |  |
|  | $\theta$ |  |  |
|  | $\theta$ |  |  |

/ Electrical Characteristics(Ta=25 )




|  |  |          |  |  |  |          |
|--|--|----------|--|--|--|----------|
|  |  |          |  |  |  |          |
|  |  | $\mu$    |  |  |  |          |
|  |  |          |  |  |  | $\mu$    |
|  |  |          |  |  |  |          |
|  |  | $\mu$    |  |  |  |          |
|  |  |          |  |  |  | $\Omega$ |
|  |  |          |  |  |  |          |
|  |  |          |  |  |  | $\Omega$ |
|  |  |          |  |  |  |          |
|  |  |          |  |  |  |          |
|  |  |          |  |  |  |          |
|  |  | $\Omega$ |  |  |  |          |
|  |  |          |  |  |  |          |
|  |  |          |  |  |  |          |
|  |  |          |  |  |  |          |

**BRFL65R190T**

## / Electrical Characteristic Curve




## / Electrical Characteristic Curve




**BRFL65R190T**

/ Marking Instructions



(     ) / Temperature Profile for Dip Soldering(Pb-Free)



/ Resistance to Soldering Heat Test Conditions

/ Packaging SPEC.

|  | Units/Tube<br>/ | Tubes/Inner Box<br>/ | Units/Inner Box<br>/ | Inner Boxes/Outer Box<br>/ | Units/Outer Box<br>/ | Tube | Inner Box | Outer Box |
|--|-----------------|----------------------|----------------------|----------------------------|----------------------|------|-----------|-----------|
|  |                 |                      |                      |                            |                      |      |           |           |

/ Notices