

SOT-363

NPN+PNP

|  |          |  |  |
|--|----------|--|--|
|  |          |  |  |
|  |          |  |  |
|  |          |  |  |
|  |          |  |  |
|  |          |  |  |
|  |          |  |  |
|  |          |  |  |
|  | $\theta$ |  |  |
|  |          |  |  |




|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|  |  |  |  |








|  |  |  |  |  |  |   |
|--|--|--|--|--|--|---|
|  |  |  |  |  |  |   |
|  |  |  |  |  |  | μ |
|  |  |  |  |  |  | μ |
|  |  |  |  |  |  |   |
|  |  |  |  |  |  |   |
|  |  |  |  |  |  |   |
|  |  |  |  |  |  |   |
|  |  |  |  |  |  |   |
|  |  |  |  |  |  |   |
|  |  |  |  |  |  |   |
|  |  |  |  |  |  |   |
|  |  |  |  |  |  |   |
|  |  |  |  |  |  |   |
|  |  |  |  |  |  | μ |
|  |  |  |  |  |  | μ |
|  |  |  |  |  |  | μ |




|  |  |  |  |  |  |   |
|--|--|--|--|--|--|---|
|  |  |  |  |  |  |   |
|  |  |  |  |  |  | μ |
|  |  |  |  |  |  | μ |
|  |  |  |  |  |  |   |
|  |  |  |  |  |  |   |
|  |  |  |  |  |  |   |
|  |  |  |  |  |  |   |
|  |  |  |  |  |  |   |
|  |  |  |  |  |  |   |
|  |  |  |  |  |  |   |
|  |  |  |  |  |  |   |
|  |  |  |  |  |  |   |
|  |  |  |  |  |  |   |
|  |  |  |  |  |  | μ |
|  |  |  |  |  |  | μ |
|  |  |  |  |  |  | μ |









● “ 1 ”

GL

\*\*\*:

● “ 1 ” Pin

GL

\*\*\*:

### Temperature Profile for IR Reflow Soldering(Pb-Free)

|  |
|--|
|  |
|  |
|  |
|  |
|  |
|  |
|  |

±

±

±

±

±

±